

Full Colour Multifunction Printer

IM C2010/C2010AEX IM C2510 IM C3010/C3010EX IM C3510/C3510EX IM C4510 IM C6010 IM C7010



Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.



Table of contents

Achieve your sustainability goals	Page 4
Secure and efficient	Page 5
Enhanced productivity and seamless employee experience	Page 6
Supporting your entire digital journey now and into the future	Page 7
The choice is yours	Page 8
Hardware configuration	Page 10
Product specification	Page 11/12



Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features—RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access—anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

More security—Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multifunction Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.







Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity, and position detection have been improved for optimal access to the device's many resources and functions.

Improved user experience

- Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility
- & new capacitive touch sensor
- Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.







Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.

Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.

Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.







The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2010AEX/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- 100-sheet ARDF (IM C2010/C2510) or 220-sheet SPDF (IM C2010AEX)
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20 ppm)/0.25 (25 ppm)
- B/W power consumption (operation): 411.8 W (20 ppm)/449.2 W (25 ppm), Sleep mode: 0.3 W

IM C3010/IM C3010EX/IM C3510/IM C3510EX


- 30 to 35 ppm A3 all-in-one printer for high productivity
- 220-sheet SPDF (IM C3010/C3510) or 100-sheet ARDF (IM C3010EX/C3510EX)
- Scan speed 150 ipm (simplex)/300 ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30 ppm)/0.35 (35 ppm)
- B/W power consumption (operation): 464.4 W (30 ppm)/500.5 W (35 ppm), Sleep mode: 0.3 W

IM C4510/IM C6010/IM C7010

- Productive 45 to 70 ppm A3 all-in-one printer for top performance
- Scan speed 150 ipm (simplex)/300 ipm(duplex) in SPDF
- Fast warm-up time of 23 seconds/24 seconds (IM C7010)
- TEC value (kWh/week): 0.45 (45 ppm)/0.67 (60 ppm)/0.81 (70 ppm)
- B/W power consumption (operation): 576.6 W (45 ppm)/763.3 W (60 ppm)/901.6 W (70 ppm)
 Sleep mode: 0.32 W/0.31 W (70 ppm)



Hardware configuration



IM C2010/IM C2010AEX/IM C2510/IM C3010/IM C3010EX/IM C3510/IM C3510EX/ IM C4510/IM C6010/IM C7010

GENERAL Warm-up time (seconds) First copy speed: B/W (seconds) First copy speed: full colour (seconds) Continuous output speed Memory: standard Memory: maximum SSD: standard	24 5.1 7.4	24 5.1	24	24						
First copy speed: B/W (seconds) First copy speed: full colour (seconds) Continuous output speed Memory: standard Memory: maximum	5.1		24	24						
First copy speed: full colour (seconds) Continuous output speed Vemory: standard Vemory: maximum		5.1			24	24	24	23	23	24
seconds) Continuous output speed Memory: standard Memory: maximum	7.4		5.1	4.5	4.5	4.5	4.5	3.6	2.9	2.9
Nemory: standard Nemory: maximum		7.4	7.4	6.9	6.9	6.9	6.9	5.4	4.2	4.2
Memory: maximum	20 ppm	20 ppm	25 ppm	30 ppm	30 ppm	35 ppm	35 ppm	45 ppm	60 ppm	70 ppm
	6 GB	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB	8 GB	8 GB
SSD: standard	6 GB	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB	8 GB	8 GB
ob. otaliaara					256	GB				
SSD: optional					1 -	ТВ				
Document Feeder capacity	100 sheets	220 sheets	100 sheets	220 sheets	100 sheets	220 sheets	100 sheets	220 sheets	220 sheets	220 sheets
Veight (kg)	89.7 kg	96.1 kg	89.7 kg	99.3 kg	92.9 kg	99.3 kg	92.9 kg	100.8 kg	100.8 kg	106 kg
Dimensions WxDxH (mm)	587 x 701 x 913	587 x 701 x 963	587 x 701 x 913	587 x 701 x 963	587 x 701 x 913	587 x 701 x 963	587 x 701 x 913	587 x 701 x 963	587 x 701 x 963	587 x 724 x 963
Power source	X 913	X 903	X 913	X 905	220 - 240 V		X 913	X 903	X 903	x 905
OPIER										
Aultiple copying					Up to 99	9 copies				
Resolution					600	•				
Zoom					From 25% to 40					
PRINTER										
First print speed: B/W (seconds)	4.5	4.5	4.5	4	4	4	4	3.2	2.4	2.2
First print speed: full colour seconds)	7	7	7	6.6	6.6	6.6	6.6	5.2	3.8	3.7
CPU (IM C2010, IM C2010AEX, M C2510, IM C3010, M C3010EX, IM C3510, M C3510EX)	Intel Apollo Lake Atom 1.3 GHz									
CPU (IM C4510, IM C6010, M C7010)	Intel Apollo Lake Atom 1.6 GHz									
Printer language: standard	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation)									
Printer language: option	Genuine Adobe [®] PostScript [®] 3™, PDF Direct from Adobe [®]									
Print resolution: maximum	4,800 x 1,200 dpi equivalent									
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B									
Network interface: option	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2 nd port)									
Mobile printing capability	Apple AirPrint, Mopria®, NFC, Ricoh Smart Device Connector									
Vindows [®] environments	Wind	dows [®] 8.1, Windc	ows [®] 10, Window	s® 11, Windows®	Server 2012R2,	Windows® Serve	er 2016, Windows	[®] Server 2019, V	Vindows® Server	2022
Mac OS environments					Macintosh OS >	< v10.15 or later				
JNIX environments	UNIX Sun [®] Solaris, HP-UX, SCO OpenServer, RedHat [®] Linux Enterprise, IBM [®] AIX									
SAP® environments					SAP® R/3®,	SAP® S/4®				
Other supported environments					IBM is	Series				
CANNER										
Scanning speed: A4 LEF, 200dpi, B/W, Full colour)	80 ipm	150 ipm (simplex) 300 ipm (duplex)"	80 ipm	150 ipm (simplex) 300 ipm (duplex)	80 ipm	150 ipm (simplex) 300 ipm (duplex)	80 ipm	150 ipm (simplex) 300 ipm (duplex)	150 ipm (simplex) 300 ipm (duplex)	150 ipm (simplex) 300 ipm (duplex)
Resolution		(duplox)			dpi(default), 300 d		dpi, 1200 dpi*	(duplon)	(adploxy	(adplox)
ile formats	Single Page T				bage High compre age Encryption					/lulti page Hig
Scan modes 1,200 dpi scanning is supported o	nly with A5 or sn				E-mail, Fo			Ū		
AX										
Sircuit					PSTN	, PBX				
ransmission speed					3 sec	conds				
					33.6	Kbps				
lodem speed: maximum					8x3.85 line/mn	n, 200x100 dpi				
	16x15.4 line/mm, 400x400 dpi									
Resolution: standard					16x15.4 line/m	m, 400x400 dpi				
Modem speed: maximum Resolution: standard Resolution: option Compression method					16x15.4 line/mi MH, MR, N					
Resolution: standard Resolution: option	68 spm	90 spm	68 spm	90 spm			68 spm	90 spm	90 spm	90 spm

60 MB, (4,800 pages)

Memory: maximum

IM C2010/IM C2010AEX/IM C2510/IM C3010/IM C3010EX/IM C3510/IM C3510EX/ IM C4510/IM C6010/IM C7010

PAPER HANDLING	IM C2010 (ARDF)	IM C2010AEX (SPDF)	IM C2510 (ARDF)	IM C3010 (SPDF)	IM C3010EX (ARDF)	IM C3510 (SPDF)	IM C3510EX (ARDF)	IM C4510 (SPDF)	IM C6010 (SPDF)	IM C7010 (SPDF)
Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper (Width: 90-320mm, Length: 148-457.2mm (Copy/Document server) 148-1,260mm (FAX/Printer))									
Paper input: standard					1,200	sheets				
Paper input: maximum	2,300 sheets	2,300 sheets	2,300 sheets	4,850 sheets	4,850 sheets	4,850 sheets	4,850 sheets	4,850 sheets	4,850 sheets	4,850 sheets
Paper output: standard					500 s	heets				
Paper output: max. (IM C2010, IM C2010AEX, IM C2510, IM C3010, IM C3010EX, IM C3510, IM C3510EX)					1,625	sheets				
Paper output: max. (IM C4510, IM C6010, IM C7010)					3,625	sheets				
Paper weight: trays					60 - 30	0 g/ m²				
Paper weight: bypass					52 - 30	0 g/ m²				
Paper weight: duplex	52 - 169 g/m²	52 - 169 g/m²	52 - 169 g/m²	52 - 256 g/ m²	52 - 256 g/m²	52 - 256 g/m²	52 - 256 g/ m²	52 - 256 g/m²	52 - 256 g/m²	52–256 g/m2
Paper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper									
ECOLOGY										
Power consumption: max.	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,850 W	Less than 1,850 W	Less than 1,854 W
Power consumption operation: B&W	411.8 W	411.8 W	449.2 W	464.4 W	464.4 W	500.5 W	500.5 W	576.6 W	763.3 W	901.6 W

TEC*	0.20 kWh/ week	0.20 kWh/ week	0.25 kWh/ week	0.30 kWh/ week	0.30 kWh/ week	0.35 kWh/ week	0.35 kWh/ week	0.45 kWh/ week	0.67 kWh/ week	0.81 kWh/ week	
Power consumption: sleep	0.30 W	0.32 W	0.32 W	0.31 W							
Power consumption: ready	37.7 W	37.7 W	37.7 W	38.5 W	38.5 W	38.5 W	38.5 W	40.5 W	40.1 W	39.1 W	
Power consumption operation: Full colour:	456.3 W	456.3 W	494.5 W	515.3 W	515.3 W	543.6 W	543.6 W	664.9 W	871.2 W	1,000.3 W	
Power consumption operation: B&W	411.8 W	411.8 W	449.2 W	464.4 W	464.4 W	500.5 W	500.5 W	576.6 W	763.3 W	901.6 W	

*It is a reference value based on the ENERGY STAR Ver.3.0 test method.

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray (IM C4510, IM C6010 only), 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet Internal finisher, 500-sheet Internal finisher (IM C4510, IM C7010 only), Stapleless internal finisher, Internal multi-fold unit, Internal shift tray (IM C4510, IM C6010 only), One-bin tray, Output jogger unit

OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray (IM C4510, IM C6010 only), Banner paper guide tray, Punch units, IPDS unit, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, EFI controller, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, Bridge unit, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector, HDD Option

CONSUMABLES										
Toner (black)	30,000 Prints	30,000 Prints	30,000 Prints	40,000 Prints	40,000 Prints	40,000 Prints	40,000 Prints	42,000 Prints	42,000 Prints	42,000 Prints
Toner (cyan/magenta/yellow) Consumable yield based on 3p/j 5% coverage on A4	18,000 Prints	18,000 Prints	18,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints
	Adobe [®] PostScript [®] 3 [°]	Adobe.PDF	REA DY	🖇 Bluetooth" 🥌		CERTIFIED	Works with Apple AirPrin	t INSIDE		

mopria



•

RICOH ASIA PACIFIC PTE LTD

20W Pasir Panjang Road, #04-28 Maplestree Business City, Singapore 117439

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2025 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.